



MARNE

Description

bathtub, built-in , with brassware, rectangular 170x70, built-in version, side bath waste, 3,0mm sanitary acrylic.


Finish



glossy white
100293912

Technical drawing

Dimensions in mm





Description

51x38 cm. undercountertop basin with overflow. Fixing kit 100041307 needed.

Finish




white
100237667

Certifications and quality characteristics



Technical drawing

Dimensions in mm





HOTELS

Description

Single lever basin mixer 3/8". Ø25 mm ceramic cartridge. Length of hoses 370 mm. Without pop-up waste set 1 1/4". "Plus" aerator. Flow rate 5 l/min. at 3 bar

Finish




chrome
100126423

Certifications and quality characteristics




Flow rate diagramme

Pressure (bar)	0	0.5	1	2	3	4	5
Flow - l/min (±15%)	0	3	4.05	5.21	5.14	4.79	4.83



Technical drawing

Dimensions in mm





Description

Slotted clicker basin waste


Finish



chrome
100114599

Technical drawing

Dimensions in mm



Noken does not guarantee the supply of discontinued items

noken
PORCELANOSA BATHROOMS

Warranty: For a warranty or other information on this product, visit our Web address: www.noken.com

Legal disclaimer: All details provided by the NOKEN's Product has an information purpose without any contractual value. In order to obtain further information about the materials and their installation please visit our showrooms. NOKEN reserves the right to modify or delete any information on this site. The images and colours shown in this site may differ from the real ones.

© 2023 noken | Edition: 24/05/2023 INT Ref.112505



Description

Bottle trap


Finish



chrome
100039181

Technical drawing

Dimensions in mm





Description

NEW NK-ONE Pack one piece toilet with double flush mechanism ECO (4,5/3lts) and "Slim" soft close seat&cover

Finish




white
100257861

Certifications and quality characteristics



Technical drawing

Dimensions in mm





Description

ROUND - Sanitary shower

Finish


chrome
100239068

Other Finishes

brushed titanium
100284613copper
100282782Matt black
100267544brushed gold
100304795brushed copper
100284605titanium
100282761Gold
100267515


Flow rate diagramme

Pressure (bar)	0	0.5	1	2	3	4	5
Flow - l/min (±15%)	0	3.8	5	5	5	5	5



Technical drawing

Dimensions in mm



NEW



Description

Single lever for sanitary shower with one water inlet. Wall bracket with outlet elbow and hose included. Flow rate 13,5 l/min. at 3 bar.

Finish



chrome
100319745


Other Finishes



Matt black
100319737


Flow rate diagramme

Pressure (bar)	0	0.5	1	2	3	4	5
Flow - l/min (±15%)	0	5.45	7.5	10.71	12.74	14.79	16.51



Technical drawing

Dimensions in mm





ROUND

Description

ROUND. 20 cm. rain shower head, with ball joint. Security valve included. Flow rate 9 l/min. at 3 bar.


Finish



polished stainless steel
100266462

Technical drawing

Dimensions in mm





Description

Rondo 40 cm shower head arm, wall connection

Finish



chrome
100039088

Other Finishes



brushed titanium
100281803



titanium
100280742



white
100253667



brushed gold
100327505



copper
100280750



brushed copper
100280741




Matt black
100213248



Gold
100327522

Technical drawing

Dimensions in mm



EX

HOTELS

Description

Single lever concealed bath shower mixer trim kit

Finish


chrome
100123914

Certifications and quality characteristics




Flow rate diagramme


Pressure (bar)	0	0.5	1	2	3	4	5
Flow - l/min (±15%)	0	8.1	11.2	16.2	20.1	24.2	27.9



Technical drawing

Dimensions in mm





CITY N

Description

CITY N SHOWER PACK. Includes handshower bar with bracket, 1-function 100191064 handshower and flexi shower hose PVC coated twist free 100137848


Finish



chrome
100190693

Technical drawing

Dimensions in mm



EX



LIBERTY

Description

LIBERTY - Shower outlet elbow

Finish



chrome
100064216

Other Finishes



brushed titanium
100281757



copper
100280770



Matt black
100213267



brushed copper
100280771




titanium
100280764

Certifications and quality characteristics



Technical drawing

Dimensions in mm





Description

L-58 NEXT Bath waste and overflow set including bath trap - drain flow rate without syphon:>60 L/min. Drain flow rate with syphon:>48 L/min. Overflow flow rate:>36 L/min


Finish




chrome
100060498

Technical drawing

Dimensions in mm



NEXT



Description

Bath trap NEXT D40


Finish



white
100158208

Technical drawing

Dimensions in mm





Description

L-58 NEXT Bath waste and overflow set


Finish



chrome
250023888

Technical drawing

Dimensions in mm





Description

L-58 NEXT Bath waste and overflow set

Finish



chrome
250023888

Other Finishes



matt white
100273054



chrome
250032123




Matt black
100273027



Gold
250037709

Technical drawing

Dimensions in mm





Description

Bath trap NEXT D40


Finish



white
100304809

Technical drawing

Dimensions in mm





Description

Robe hook

Finish



chrome
100102354


Other Finishes



Matt black
100267559

Technical drawing

Dimensions in mm





Description

60 cm towel rail

Finish



chrome
100102358


Other Finishes



Matt black
100267613

Technical drawing

Dimensions in mm





Description

Roll holder with cover


Finish




chrome
100103961

Technical drawing

Dimensions in mm





Description

Corner soap basket


Finish



chrome
100103946

Technical drawing

Dimensions in mm





Description

PROJECT LINE - Concealed bath shower valve with Ø35 mm ceramic cartridge, automatic diverter and 1/2" connectors. Flow rate at 3 bar: 20 l/min bath, 18 l/min shower.


Finish



100107958

Flow rate diagramme

Pressure (bar)	0	0.5	1	2	3	4	5
Flow - Handshower (l/min) (±15%)	0	7.6	10.1	14.2	18	19.8	22.2
Flow - Spout (l/min) (±15%)	0	7.9	11.8	16.9	19.9	23.6	25.9



Technical drawing

Dimensions in mm

