



Description

80 cm wall hung basin with fixing kit 100041225 with overflow.


Finish



white
100316804

Technical drawing

Dimensions in mm





HOTELS

Description

HOTELS - Basin mixer with sensor control with two water inlets. 3/8" connections, without pop up waste. Battery 3V. "Plus" aerator. Flow rate 5 l/min. at 3 bar.

Finish



chrome
100108285

Other Finishes




Matt black
100305293

Certifications and quality characteristics




Flow rate diagramme

Pressure (bar)	0	0.5	1	2	3	4	5
Flow - l/min (±15%)	0	1.6	3.1	4.6	5.2	4.8	5



Technical drawing

Dimensions in mm





Description

Slotted clicker basin waste


Finish



chrome
100114599

Technical drawing

Dimensions in mm



Noken does not guarantee the supply of discontinued items

noken
PORCELANOSA BATHROOMS

Warranty: For a warranty or other information on this product, visit our Web address: www.noken.com

Legal disclaimer: All details provided by the NOKEN's Product has an information purpose without any contractual value. In order to obtain further information about the materials and their installation please visit our showrooms. NOKEN reserves the right to modify or delete any information on this site. The images and colours shown in this site may differ from the real ones.

© 2023 noken | Edition: 24/05/2023 INT Ref.112409



Description

Bottle trap


Finish



chrome
100039181

Technical drawing

Dimensions in mm



**NEW**

NK CONCEPT

Description

"Rimless" Wall hung pan 48cm. Includes the fixings kit 100318445

Finish




white
100317548

Certifications and quality characteristics



Technical drawing

Dimensions in mm



Sanitaryware



NK CONCEPT

Description

Soft close seat and cover

Finish



white
100317593



Description

ROUND - Sanitary shower

Finish


chrome
100239068

Other Finishes

brushed titanium
100284613copper
100282782Matt black
100267544brushed gold
100304795brushed copper
100284605titanium
100282761Gold
100267515


Flow rate diagramme

Pressure (bar)	0	0.5	1	2	3	4	5
Flow - l/min (±15%)	0	3.8	5	5	5	5	5



Technical drawing

Dimensions in mm



NEW



Description

Single lever for sanitary shower with one water inlet. Wall bracket with outlet elbow and hose included. Flow rate 13,5 l/min. at 3 bar.

Finish



chrome
100319745


Other Finishes



Matt black
100319737


Flow rate diagramme

Pressure (bar)	0	0.5	1	2	3	4	5
Flow - l/min (±15%)	0	5.45	7.5	10.71	12.74	14.79	16.51



Technical drawing

Dimensions in mm





I-COMFORT LINE

Description

Concealed cistern with frame for wall hung pan, with odour extraction system. Installation in light wall. Includes the fixings kit and connection pipes for the WC.


Finish



100290649

Technical drawing

Dimensions in mm





I-COMFORT LINE

Description

I-COMFORT LINE Flush plate with single flush button and IR system, for odour extraction concealed frame with cistern.


Finish



brushed stainless steel
100290711

Technical drawing

Dimensions in mm



ACRO COMPACT



Description

ACRO COMPACT - Urinal with rear water supply with diffuser valve with integrated IR system (power supply by 4x 1,5V batteries included). Includes fixings 100295658 and siphon 100295683. For brick walls installation.


Finish




white
100291433

Technical drawing

Dimensions in mm





Description

Robe hook


Finish



chrome
100042515

Technical drawing

Dimensions in mm



Noken does not guarantee the supply of discontinued items



Description

45 cm towel rail


Finish



chrome
100042516

Technical drawing

Dimensions in mm



Noken does not guarantee the supply of discontinued items



Description

Roll holder without cover


Finish



chrome
100042519

Technical drawing

Dimensions in mm



Noken does not guarantee the supply of discontinued items